Information sheet for customer

Tsumura-Revitalizer WANTEN P α [ワンテン P α] Capsule

[Category 2 OTC medicines]

INDICATIONS

Nourishment and revitalization, improvement of weak constitution, and nutritional supplementation for persons in following conditions:

Physical fatigue, weakness during/after illness, loss of appetite, malnutrition, febrile wasting disease, and the pregnancy/lactation period.



! CAUTION FOR USE

Who should seek consultation

1. The following persons should consult a physician, pharmacist, or registered distributor before taking this medicine.

Persons undergoing medical treatment from a physician.

2. The following symptoms may be adverse reactions to this medication. If any of these symptoms occur, stop taking this medicine immediately and consult a physician, pharmacist, or registered distributor. Take the instruction leaflet with you.

Related areas	Symptoms
Skin	Rash, redness, itching
Gastrointestinal system	Gastric distress, abdominal bloating, loss of appetite, nausea, vomiting, stomatitis.

- 3. A following symptom may appear after taking this medicine. If the symptom continues or worsen, consult a physician, pharmacist or registered distributor. Take this leaflet with you: constipation, soft stool, diarrhea.
- 4. Stop taking this medicine and consult a physician, pharmacist or registered distributor if symptoms do not improve after taking this medicine for about 1 month. Take this medicine (box) with you.
- 5. Your period may come earlier than expected or menstrual bleeding may slightly increase after taking this medicine. If menstrual bleeding continues, consult a physician, pharmacist or registered distributor bringing this product (box) with you.

DOSAGE

Take following doses of this medicine with water or warm water without chewing.

Age	One dosage	Daily dosage
15 years and over	1 capsule	2 times a day
Under 15 years	Do not use	

[Cautions]

- (1) Observe the dosage and usage.
- (2) How to remove a troche.

Firmly push the bulging portion of the PTP (Push Through Pack) sheet containing the troche with the tip of one finger and break the aluminum film on the rear side. Remove the troche.

(Be careful to avoid swallowing a piece of the packaging sheet by mistake, doing so may injure the esophageal mucosa.)

INGREDIENTS

2 capsules of this medicine contain the followings;

Oriental Bezoar	2 mg
Deer Velvet Powder	10 mg
Processed Garlic	20 mg (2000 mg as garlic)
Royal Jelly Powder	50 mg
Civet Powder	5 mg (0.25 mg as Civet)
Powdered Mamushi (Japanese pit viper)	20 mg
Dried Powder of Male Genitalia of Fur Seal	20 mg
Ginseng Dried Extract	60 mg (870 mg as ginseng)
Epimedium Grandiflorum Dried Extract	20 mg (150 mg as Epimedii Herba)
Tocopherol Acetate	50 mg
Fulsulthiamine Hydrochloride	20 mg
Riboflavin Butyrate	12 mg
Pyridoxine Hydrochloride	15 mg

Inactive ingredients: Lactose, Cornstarch, Ethyl Cellulose, Calcium Silicate, Magnesium Stearate, Hydroxypropyl Cellulose, Sodium Lauryl Sulfate, Food Blue No. 1, Food Red No.102, Food Yellow No.5, Gelatin (capsule material).

(Precautions on ingredients and its quantity)

Urine color may become yellow after taking this medicine due to excretion of riboflavin butyrate, one of ingredients. This coloration is harmless.

PRECAUTIONS FOR STRAGE AND HANDLING

- (1) Store in a cool, dry place free from direct sunlight.
- (2) Keep all medication out of the reach of children.
- (3) Do not transfer this medicine to a different container (It may be misused or the quality may deteriorate).
- (4)Do not take this medicine after the expiration date.

Production of this product has been approved for domestic sales in accordance with the Pharmaceutical Affairs Law of Japan.

Sales agency:

Tsumura&Co.

2-17-11,Akasaka,Minato-ku,Tokyo107-8521, JAPAN.

http://www.tsumura.co.jp/

Manufacturing and selling agency:

DAISHO PHARMACEUTICAL, CO., LTD.

NO.168,OHARAICHIBA,KOKA-CHO,KOKA-SHI,SHI GA 520-3433,JAPAN.